

# JBC 2,5/3 - Junction box connector

3240164

<https://www.phoenixcontact.com/sg/products/3240164>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



3-pos. socket terminal block with spring-cage connection, for toolless wiring with push-in connection method, for one and multi-strand conductors with a cross section of 0.5 to 2.5 mm<sup>2</sup>, insulation housing transparent.

## Commercial data

Item number	3240164
Packing unit	100 pc
Minimum order quantity	100 pc
Note	Made to order (non-returnable)
Sales key	*****
Product key	BE7311
Catalog page	Page 560 (C-3-2019)
GTIN	4046356457941
Weight per piece (including packing)	1.518 g
Weight per piece (excluding packing)	1.518 g
Customs tariff number	85369010
Country of origin	AT

# JBC 2,5/3 - Junction box connector



3240164

<https://www.phoenixcontact.com/sg/products/3240164>

## Technical data

### Product properties

Product type	Junction box connector
Number of positions	3
Number of connections	3
Number of rows	1

### Electrical properties

Maximum power dissipation for nominal condition	0.77 W
Test voltage	32.00 mV

### Connection data

Nominal cross section	2.5 mm <sup>2</sup>
Stripping length	8 mm
Conductor cross section rigid	0.5 mm <sup>2</sup> ... 2.5 mm <sup>2</sup>
Cross section AWG	20 ... 14 (converted acc. to IEC)
Nominal current	24 A
Maximum load current	24 A
Nominal voltage	450 V
Nominal cross section	2.5 mm <sup>2</sup>

### Dimensions

Width	17.2 mm
Height	8.9 mm
Depth	15.6 mm

### Material specifications

Color	transparent
Flammability rating according to UL 94	V2
Insulating material	PC/PA

# JBC 2,5/3 - Junction box connector



3240164

<https://www.phoenixcontact.com/sg/products/3240164>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/sg/products/3240164>



**EAC**

Approval ID: RU C-DE.BL08.B.00644



**UL Listed**

Approval ID: FILE E 327420

	Nominal voltage $U_N$	Nominal current $I_N$	Cross section AWG	Cross section $\text{mm}^2$
	600 V	12 A	-	20 - 16

# JBC 2,5/3 - Junction box connector



3240164

<https://www.phoenixcontact.com/sg/products/3240164>

## Classifications

### ECLASS

ECLASS-11.0

27141104

### ETIM

ETIM 8.0

EC000446

### UNSPSC

UNSPSC 21.0

39121400

# JBC 2,5/3 - Junction box connector



3240164

<https://www.phoenixcontact.com/sg/products/3240164>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT SEA Pte. Ltd.  
105 Eunos Avenue 3, #04-00  
Singapore 409836  
+65 6228 4900  
[marketing@phoenixcontact.com.sg](mailto:marketing@phoenixcontact.com.sg)