

https://www.phoenixcontact.com/sg/products/3240166

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



8-pos. socket terminal block with spring-cage connection, for toolless wiring with push-in connection method, for one and multi-strand conductors with a cross section of 0.5 to 2.5 mm², insulation housing transparent.

Commercial data

Item number	3240166
Packing unit	50 pc
Minimum order quantity	50 pc
Note	Made to order (non-returnable)
Sales key	****
Product key	BE7311
Catalog page	Page 560 (C-3-2019)
GTIN	4046356457965
Weight per piece (including packing)	3.815 g
Weight per piece (excluding packing)	3.815 g
Customs tariff number	85369010
Country of origin	AT

3240166

https://www.phoenixcontact.com/sg/products/3240166



Technical data

Product properties

Product type	Junction box connector
Number of positions	8
Number of connections	8
Number of rows	1

Electrical properties

Maximum power dissipation for nominal condition	0.77 W
Test voltage	32.00 mV

Connection data

Nominal cross section	2.5 mm ²
Stripping length	8 mm
Conductor cross section rigid	0.5 mm² 2.5 mm²
Cross section AWG	20 14 (converted acc. to IEC)
Nominal current	24 A
Maximum load current	24 A
Nominal voltage	450 V
Nominal cross section	2.5 mm ²

Dimensions

Width	39.2 mm
Height	8.9 mm
Depth	15.6 mm

Material specifications

Color	transparent
Flammability rating according to UL 94	V2
Insulating material	PC/PA



3240166

https://www.phoenixcontact.com/sg/products/3240166

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/sg/products/3240166

ERC Approval ID: RU C-DE.BL08.B.00644	
	UL Listed Approval ID: FILE E 327420

Nominal voltage U _N	Nominal current I _N	Cross section AWG	Cross section mm ²
600 V	12 A	-	20 - 16

3240166

https://www.phoenixcontact.com/sg/products/3240166



Classifications

ECLASS

	ECLASS-11.0	27141104		
ETIM				
	ETIM 8.0	EC000446		
UNSPSC				
	UNSPSC 21.0	39121400		

3240166

https://www.phoenixcontact.com/sg/products/3240166

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT SEA Pte. Ltd. 105 Eunos Avenue 3, #04-00 Singapore 409836 +65 6228 4900 marketing@phoenixcontact.com.sg

